
UNIT 6



UNIT 6

FOOD AND MEDICINE LABELS

Information contained in the outer packaging of a product/goods. The purpose is to give detailed information about the product.

Kemasan atau label biasanya terdapat pada produk makanan, minuman, obat, produk kecantikan/kosmetik, dll.

Informasi yang terdapat pada label di antaranya:

- 1. Name of the product
- 2. Content/Amount
- 3. Description
- 4. Ingredients
- 5. Nutrition facts
- 6. Use
- 7. Direction to use
- 8. Dosage
- 9. Storage Instructions
- 10. Expiration date

Food and medicine labels are usually put on the back of most product. They are used to give information about the product. These are two examples of medicine label

DOSAGE AND ADMINISTRATIONS:
- Intravenous route: In the 100 ml glass infusion bottle is restricted to adults, adolescents and children weighing more than 33 kg (approximately 11 years old).

- Adolescents and adults weighing more than 50 kg:
- Paracetamol 1 g per administration on the double, adolescents and children weighing more than 33 kg (approximately 11 years old).

- Adolescents and adults weighing more than 50 kg:
- Paracetamol 1 g per administration, 1e, one 100 ml bottle, up to 4 times a day. The mainrum interval between each administration must be 4 hours. The maximum daily dose must not exceed 9.0 mlg kg: Paracetamol 10 logk per administration, 1e, one 100 ml buttle than 50 kg: Paracetamol 10 logk per administration, 1e, one 100 ml buttle than 50 kg: Paracetamol 10 logk per administration must be 4 hours. The maximum daily dose must not exceed 9.0 mg/kg (without exceeding 3 g).

- Severe renal insufficiency: It is recommended when giving Paracetamol to patients with severe renal impairment (creatinine dearance ≤ 30 ml/mm) to increase the minimum interval between each administration to 5 hours.

- Method of administration: The Paracetamol solution is administered as a 15 minute intravenous infusion.

FOR NORE INFORMATION:

- Renal Insufficiency: It is recommended when six paracetamol by paracetamol to patients with severe renal impairment (creatinine dearance ≤ 30 ml/mm) to increase the minimum interval between each administration.

- FOR NORE INFORMATION:

- Renal Insufficiency: It is recommended when six paracetamol solution is administered as a 15 minute intravenous infusion.

- FOR NORE INFORMATION:

- Renal Insufficiency: It is recommended when six paracetamol solution is administered as a 15 minute intravenous infusion.

- FOR NORE INFORMATION:

- Renal Insufficiency: It is recommended when six paracetamol solution is administered as a 15 minute intravenous infusion.


- FOR NORE INFORMATION:

- Renal Insufficiency: It is recommended when solution is administered as a 15 minute intravenous infus

2.



Exercise



Adopted from: https://www.stickeryou.com/products/product-labels/614/ (26 November 2018)

- What product is the label about?
 - Food for kids.
- C. Full cream milk.
- 3. Dairy milk.
- D. Cereal for kids.
- From the text we know that
 - \ the product contains vitamins
 - the product contains mostly carbohydrate
 - the amount of protein per serving is more than the sugars
 -). the daily value percentage of calcium is less than that of the trans fat

Servings per container 5"

- Vhat does the underlined word mean? 3.
 - A package.
- C. A large box.
- 3. A storage place. D. A metal tin.

This following text is for questions 33 to 36.



PYRITHIONE ZINC DANDRUFF SHAMPOO + CONDITIONER
Restore scale health and achieve healthy looking hair with our specially formulated dandruff shampoo & conditioner. The advanced formula effectively reduces dandruff and relieves scale that, drives scale that diverse said intending, while gently cleaning and moisturizing scale and hair.

Drug Facts	
Active ingredient Pyrithione zinc 1%	Purpose Anti-Dandruff
Uses = helps prevent recurritching associated with dandri	rence of flaking and
Warnings	
For external use only	
When using this product m av contact occurs, rinse eyes thorou	void contact with eyes. It
Stop use and ask a doctor if a does not improve after regular us directed	condition worsens or the of this product as
Keep out of reach of children medical help or contact Poison Co	. If swallowed, get ontrol Center immediatel

- for maximum dandruff control, use every time you shampoo
- In the street of the stre

by a doctor Inactive ingredients water, sodium laureth suitate, sodium lauryt suitate, cocamide MEA, zinc carbonate, glycol distearate, dimethicone, fragrance, cetyl abonzote, magnesium arbonate hydroxide, ammonium laureth suitate, benzyl alcohol, sodium priloride, methylchorioschinazolinone, methylsothiazolinone, sodium xylenesulfonate

Questions? Call 1-866-695-3030

MADE WITH PRIDE AND CARE FOR H-E-B, SAN ANTONIO, TX 78264 Made in Canada





Adopted from: https://otclabels.com/lib/otc/otc-meds/dandruff-2-in-1-shampoo-and-conditioner-dry-scalp-recovery/ (26 November

- ▲33. What label is it for?
 - A. Anti dandruff shampoo.
 - Anti dandruff conditioner. В
 - npoo for dry scalp. C 4.
 - D Iruff shampoo and conditioner.